

Author index

Ahlman, H. *see* Timar Peregrin, A.
Allen, D.G. Lännergren, J. & Westerblad, H. The use of caged adenine nucleotides AND caged phosphate in intact skeletal muscle fibres of the mouse.
Andersen, L.J., Jensen, T.U.S., Bestle, M.H. & Bie, P. Isotonic and hypertonic sodium loading in supine humans, 23
Andrade, F.H. *see* Murrant, C.L.
Åneman, A., Bengtsson, J., Snygg, J., Holm, M., Pettersson, A. & Fändriks, L. Differentiation of the peptidergic vasoregulatory response to standardized splanchnic hypoperfusion by acute hypovolaemia or sepsis in anaesthetized pigs, 293
Appleby, G.J. *see* Youd, J.M.
Åruldhus, M.M. *see* Ramamani, A.
Åsgrimsson, H.J., Wohlfart, B., Brandt, J. & Jóhannsson, M. Effects of $[Na^+]$ _o, $[Ca^{2+}]$ _o and cyclopiazonic acid on decline of postextrasystolic potentiation and twitch kinetics in guinea-pig and human myocardial preparations, 195
Bang, P. *see* Sohlström, A.
Ben Salah, I. *see* Ferry, A.
Bengtsson, J. *see* Åneman, A.
Bestle, M.H. *see* Andersen, L.J.
Bie, P. *see* Andersen, L.J.
Bien, M. *see* De Haan, A.
Blix, A.S. *see* Odden, A.
Boehm, E.A. *see* Willot, C.A.
Bombardier, E. *see* Tidus, P.M.
Brandt, J. *see* Åsgrimsson, H.J.
Brismar, K. *see* Sohlström, A.
Brown, A.M. *see* Thoren, P.
Browning, J.A., Walker, R.E., Hall, A.C. & Wilkins, R.J. Modulation of $Na^+ \times H^+$ exchange by hydrostatic pressure in isolated bovine articular chondrocytes, 39
Bülow, J. *see* Simonsen, L.
Byrne, B.J. *see* Recchia, F.A.
Caputa, M. *see* Odden, Å.
Carlsson-Skwirut, C. *see* Sohlström, A.
Cayla, J.-L., Lavoie, C., Gareau, R. & Duvallet, A. Effects of recombinant erythropoietin (r-HuEPO) on plasma glucose concentration in endurance-trained rats, 247
Chattou, S., Diacono, J. & Feuvray, D. Decrease in sodium-calcium exchange and calcium currents in diabetic rat ventricular myocytes, 137
Christensen, N.J. *see* Simonsen, L.
Clark, M.G. *see* Youd, J.M.
Clarke, K. *see* Willot, C.A.
Daegelen, D. *see* Ferry, A.
Davy, K.P. *see* Parker Jones, P.
De Haan, A., Bien, M. & Verdijk, P.W.L. Stimulation frequency-dependent reductions in skeletal muscle force and speed in creatine kinase deficient mice, 217
De La Fuente, M. *see* Fernandez, M.D.
Delp, M. *see* Demaree, S.R.
Demaree, S.R., Lawler, J.M., Linehan, J. & Delp, M. Aging alters aortic antioxidant enzyme activities in Fischer-344 rats, 203
Desouza, C.A. *see* Parker Jones, P.
Diacono, J. *see* Chattou, S.
Duvallet, A. *see* Cayla, J.-L.
Edvinsson, L. *see* Feng, Q.
Eloff, F.C. *see* Huisman, H.W.
Ereline, J. *see* Pääsuke, M.
Eriksen, M. *see* Waaler, B.A.
Fändriks, L. *see* Åneman, A.
Feng, Q., Sun, X., Lu, X., Edvinsson, L. & Hedner, T. Decreased responsiveness of vascular postjunctional α_1 - α_2 -adrenoceptors and neuropeptide Y1 receptors in rats with heart failure, 285
Ferrandez, M.D. & De La Fuente, M. Effects of age, sex and physical exercise on the phagocytic process of murine peritoneal macrophages, 47
Ferretti, G. *see* Girardis, M.
Ferry, A., Noirez, P., Le Page, C., Ben Salah, I., Daegelen, D. & Rieu, M. Effects of anabolic/androgenic steroids on regenerating skeletal muscles in the rat, 105
Feuvray, D. *see* Chattou, S.
Flatebø, T. *see* Melsom, M.N.
Folkow, L.P. *see* Odden, A.
Gapeyeva, H. *see* Pääsuke, M.
Gareau, R. *see* Cayla, J.-L.
Girardis, M., Linnarsson, D., Moia, C., Pendergast, D.R. & Ferretti, G. Oxygen cost of dynamic leg exercise on a cycle ergometer: effects of gravity acceleration, 239
Gontijo, J.A.R. & Kopp, U.C. Activation of renal pelvic chemoreceptors in rats: role of calcitonin gene-related peptide receptors, 159
Govindarajulu, P. *see* Ramamani, A.
Gutiérrez, A.M., Kornfeld, M. & Persson, A.E.G. Calcium response to adenosine and ATP in rabbit afferent arterioles, 175
Hall, A.C. *see* Browning, J.A.
Haraldsson, B. *see* Lindström, K.E.
Hedner, T. *see* Feng, Q.
Heinert, G., Nye, P.C.G. & Paterson, D.J. Nitric oxide and prostaglandin pathways interact in the regulation of hypercapnic cerebral vasodilatation, 183
Hellström, P.M. *see* Lördal, M.
Holm, M. *see* Åneman, A.
Holst, J.J. *see* Schmidt, P.T.
Hotvedt, R. *see* Odden, Å.
Huisman, H.W., Pretorius, P.J., Van Rooyen, J.M., Malan, N.T., Eloff, F.C., Laubscher, P.J. & Steyn, H.S. Haemodynamic changes in the cardiovascular system during the early phases of orthostasis, 145
Ikegami, H. *see* Nishiyasu, T.

Jaremkó, G. *see* Lindström, K.E.
 Jensen, T.U.S. *see* Andersen, L.J.
 Jodal, M. *see* Timar Peregrin, A.
 Jóhannsson, M. *see* Ásgrimsson, H.J.

Kass, D.A. *see* Recchia, F.A.
 Kecskeméti, V. *see* Pacher, P.
 Kecskeméti, V. *see* Pacher, P.
 Kemp, G.J. *see* Willot, C.A.
 Kiens, B. *see* Pedersen, P.K.
 Kondo, N. *see* Nishiyasu, T.
 Kopp, U.C. *see* Gontijo, J.A.R.
 Kornfeld, M. *see* Gutiérrez, A.M.
 Kullmann, D.M. Synaptic and extrasynaptic roles of glutamate in the mammalian hippocampus, 79

Lännergren, J. *see* Allen, D.G.
 Laubscher, P.J. *see* Huisman, H.W.
 Lavoie, C. *see* Cayla, J-L.
 Lawler, J.M. *see* Demaree, S.R.
 Le Page, C. *see* Ferry, A.
 Leighton, B. *see* Willot, C.A.
 Léoty, C. *see* Méme, W.
 Lin, J.H. & Rydqvist, B. The mechanotransduction of the crayfish stretch receptor neurone can be differentially activated or inactivated by local anaesthetics, 65

Lindström, K.E., Rönstedt, L., Jaremkó, G. & Haraldsson, B. Physiological and morphological effects of perfusing isolated rat kidneys with hyperosmolar mannitol solutions, 231

Linehan, J. *see* Demaree, S.R.
 Linnarsson, D. *see* Girardis, M.
 Lördal, M. & Hellström, P.M. The tachykinins neurokinin A and substance P, but not neurokinin B, stimulate contraction of isolated muscle cells from rat small intestine, 75

Losonczy, G.Y. *see* Pacher, P.
 Lu, X. *see* Feng, Q.
 Lundgren, O. *see* Timar Peregrin, A.

Madson, P. *see* Perko, M.J.
 Malan, N.T. *see* Huisman, H.W.
 Melsom, M.N., Flatebo, T. & Nicolaysen, G. Hypoxia and hyperoxia both transiently affect distribution of pulmonary perfusion but not ventilation in awake sheep, 151

Méme, W. & Léoty, C. Changes in voltage-activation of contraction in frog skeletal muscle fibres as a result of sarcoplasmic reticulum Ca^{2+} - ATPase activity, 209

Moia, C. *see* Girardis, M.
 Mucha, I. *see* Pacher, P.
 Munch, P.A. *see* Thoren, P.
 Murrant, C.L., Andrade, F.H. & Reid, M.B. Exogenous reactive oxygen and nitric oxide alter intracellular oxidant status of skeletal muscle fibres, 111

Nánási, P.P. *see* Pacher, P.
 Newman, J.M.B. *see* Youd, J.M.
 Nicolaysen, G. *see* Melsom, M.N.
 Nishiyasu, M. *see* Nishiyasu, T.
 Nishiyasu, T., Tan, N., Kondo, N., Nishiyasu, M. & Ikegami, H. Near-infrared monitoring of tissue oxygenation during application of lower body pressure at rest and during dynamic exercise in humans, 123

Noirez, P. *see* Ferry, A.
 Nye, P.C.G. *see* Heinert, G.

Odden, Å., Folkow, L.P., Caputa, M., Hotvedt, R. & Blix, A.S. Brain cooling in diving seals, 77

Pääsuke, M., Ereline, J. & Gapeyeva, H. Neuromuscular fatigue during repeated exhaustive submaximal static contractions of knee extensor muscles in endurance-trained, power-trained and untrained men, 319

Pacher, P., Ungvári, Z., Nánási, P.P., Mucha, I., Kecskeméti, V. & Losonczy, G.Y. Post-partum prolongation of the atrial repolarization in rabbit, 1

Pacher, P., Ungvári, Z., Nánási, P.P. & Kecskeméti, V. Electrophysiological changes in rat ventricular and atrial myocardium at different stages of experimental diabetes, 7

Parker Jones, P., Davy, K.P., Desouza, C.A. & Tanaka, H. Total blood volume in endurance-trained post-menopausal females: relation to exercise mode and maximal aerobic capacity, 327

Paterson, D.J. *see* Heinert, G.
 Pedersen, P.K., Kiens, B. & Saltin, B. Hyperoxia does not increase peak muscle oxygen uptake in small muscle group exercise, 309

Pendergast, D.R. *see* Girardis, M.
 Perko, G. *see* Perko, M.J.
 Perko, M.J., Madsen, P., Perko, G., Schroeder, T.V. & Secher, N.H. Cholinergic induced mesenteric vasorelaxation in response to head-up tilt, 279

Persson, A.E.G. *see* Gutiérrez, A.M.
 Pette, D., Peuker, H. & Staron, R.S. The impact of biochemical methods for single muscle fibre analysis, 261

Pettersson, A. *see* Åneman, A.
 Peuker, H. *see* Pette, D.
 Pretorius, P.J. *see* Huisman, H.W.

Radda, G.K. *see* Willot, C.A.
 Ramamani, A., Aruldhass, M.M. & Govindarajulu, P. Impact of testosterone and oestradiol on region specificity of skeletal muscle-ATP, creatine phosphokinase and myokinase in male and female Wistar rats, 91

Rasmussen, T.N. *see* Schmidt, P.T.
 Rattigan, S. *see* Youd, J.M.
 Recchia, F.A., Byrne, B.J. & Kass, D.A. Sustained vessel dilation induced by increased pulsatile perfusion of porcine carotid arteries *in vitro*, 15

Reid, M.B. *see* Murrant, C.L.
 Rieu, M. *see* Ferry, A.
 Rönstedt, L. *see* Lindström, K.E.
 Rydqvist, B. *see* Lin, J.H.

Saltin, B. *see* Pedersen, P.K.
 Schmidt, P.T., Rasmussen, T.N. & Holst, J.J. Tachykinins stimulate acid and pepsinogen secretion in the isolated porcine stomach, 335

Schroeder, T.V. *see* Perko, M.J.
 Secher, N.H. *see* Perko, M.J.
 Simonsen, L., Stefl, B., Christensen, N.J. & Bülow, J. Thermogenic response to adrenaline during restricted blood flow in the forearm, 31

Snygg, J. *see* Åneman, A.
 Sohlström, A., Brismar, K., Carlsson-Skwirut, C., Bang, P. & Uvnäs-Moberg, K. Effects of oxytocin on the IGF-axis and some gastrointestinal hormones, in ad libitum fed and food-restricted female rats, 223

Staron, R.S. *see* Pette, D.
 Stefl, B. *see* Simonsen, L.
 Steyn, H.S. *see* Huisman, H.W.

Stjärne, L. Catecholaminergic neurotransmission: flagship of all neurobiology, 251

Sun, X. *see* Feng, Q.

Svensson, M. *see* Timar Peregrin, A.

Tan, N. *see* Nishiyasu, T.

Tanaka, H. *see* Parker Jones, P.

Thoren, P., Munch, P.A. & Brown, A.M. Mechanisms for activation of aortic baroreceptor C-fibres rabbits and rats, 167

Tiudus, P.M. & Bombardier, E. Oestrogen attenuates postexercise myeloperoxidase activity in skeletal muscle of male rats, 85

Timar Peregrin, A., Svensson, M., Ahlman, H., Jodal, M. & Lundgren, O. The effects on net fluid transport of noxious stimulation of the jejunal mucosa in anaesthetized rats, 55

Tong, A.C.Y. *see* Youd, J.M.

Toska, T. *see* Waaler, B.A.

Ungvári, Z. *see* Pacher, P.

Ungvári, Z. *see* Pacher, P.

Uvnäs-Moberg, K. *see* Sohlström, A.

Van Rooyen, J.M. *see* Huisman, H.W.

Verdijk, P.W.L. *see* De Haan, A.

Vincent, M.A. *see* Youd, J.M.

Waaler, B.A., Toska, T. & Eriksen, M. Involvement of the human splanchnic circulation, in pressor response induced by handgrip contraction, 131

Walker, R.E. *see* Browning, J.A.

Westerblad, H. *see* Allen, D.G.

Wilkins, R.J. *see* Browning, J.A.

Willot, C.A., Young, M.E., Leighton, B., Kemp, G.J., Boehm, E.A., Radda, G.K. & Clarke, K. Creatine uptake in isolated soleus muscle: kinetics and dependence on sodium, but not on insulin, 99

Wohlfart, B. *see* Ásgrímsson, H.J.

Youd, J.M., Newman, J.M.B., Clark, M.G., Appleby, G.J., Rattigan, S., Tong, A.C.Y. & Vincent, M.A. Increased metabolism of infused 1-methylxanthine by working muscle, 301

Young, M.E. *see* Willot, C.A.

341



Subject index

A₁, 175
Action potential duration, 1, 7
Activation, 217
Adenosine, 175
Afferent renal nerve activity, 159
A-fibres, 167
Ageing, 47, 145
Angiotensin II, 23, 293
Aorta, 203
Arterial baroreceptors, 167
Arterial blood pressure, 131
Articular cartilage, 39
ATP, 91, 175
Atrial natriuretic peptide, 293

Blood flow, 279, 301
Blood pressure, 15, 123, 145, 285, 309
Brain cooling, 77
Bupivacaine, 65

Ca²⁺ current, 137
Caged ADP, 341
Caged ATP, 341
Caged phosphate, 341
Calcitonin gene-related peptide, 159
Calcium channel antagonist, 55
Calcium, 195
Capillary permeability, 231
Cardiac myocytes, 137
Cardiac output, 285
Cardiac repolarization, 1
Cardiovascular, 145
Catalase, 203
Catecholamines, 31, 251
CBF, 183
Cell, 75
C-creatine, 14
C-fibres, 167
CGRP receptor antagonist, 159
Chemical neurotransmission, 251
Chief cell, 335
Cholecystokinin, 223
Chondrocyte, 39
Circulatory shock, 293
Compliance, 145
Congestive heart failure, 285
Crayfish, 65
Creatine kinase, 217
Creatine phosphokinase, 91
Creatine uptake, 99
Cyclopiazonic acid, 195, 209

Diabetes, 7
2',7'-dichlorofluorescein, 111
Diving, 77
Duplex ultrasound, 279

Electrophoresis, 261
Electrophysiology, 1, 7

Endothelin-1, 293
Endothelium, 15
Endurance, 247
Endurance-trained athletes, 319
Enteric nervous system, 55
Enterochromaffin cells, 55
Erythropoietin, 247
Exercise, 85, 123, 239
Extensor digitorum longus muscle, 99

Fibre type, 261
Free radicals, 203
Frog, 209

Gas exchange, 151
Gastrin, 223
Glucose, 247
Glutathione peroxidase, 203
Gravity acceleration, 239
Guinea-pig, 195

Histochemistry, 261
History, 251
Human subjects, 23
Humans, 239
Hydrogen peroxide, 111
Hydrostatic pressure, 39
Hypercapnia, 183
Hyperoxia, 111
Hypotension, 279
Hypothermia, 77
Hypovolaemia, 279
Hypoxia, 183
Hypoxic vasoconstriction, 151

Immunohistochemistry, 261
Inflammation, 85
Insulin, 99, 223
Insulin-like growth factor, 223
Internal work, 239
Intestinal circulation, 293
Intestinal fluid transport, 55
Intracellular calcium, 175, 341
Ion channels, 7
Isolated perfused kidneys, 231
Isometric force, 217

Knee extensors, 319

Lidocaine, 65
Local anaesthetics, 65
Lower body pressure, 123

Macrophages, 47
Male sexual hormone, 105
Mannitol, 231
Mechanoreceptor, 65
Metabolism, 247
Morphology, 231

Motility, 75
 Muscle contraction, 301
 Muscle damage, 85
 Myeloperoxidase, 85
 Myocardium, 195
 Myofibrillar protein isoforms, 261
 Myogenesis, 105
 Myokinase, 91
 Myosin heavy chain mRNA and protein, 105
 Myosin heavy chain mRNA, 261
 $\text{Na}^+ \times \text{H}^+$ exchange, 39
 $\text{Na}^+ \text{-Ca}^{2+}$ exchanger current, 137
 Nandrolone, 105
 Near-infrared spectroscopy, 123
 Neurokinin A, 75, 335
 Neuromuscular fatigue, 319
 Neuropeptide Y receptor, 285
 Neuroprotection, 77
 Neutrophils, 85
 Nitric oxide, 111
 Nucleotide receptors, 175
 Nutrition, 223
 O_2 delivery, 309
 O_2 diffusion limitation, 309
 O_2 tension, 309
 O_2 uptake, 309
 Oestradiol, 91
 Oestrogen, 85
 Oestrogens, 1
 Orthostasis, 145
 Osmoreceptors, 23
 Oxygen consumption, 31, 77
 Oxygen uptake, 239
 Oxytocin, 223
 P2X, 175
 Parietal cell, 335
 Patellar reflex time, 319
 Perforated patch recording, 137
 Peripheral gas exchange, 309
 Permissiveness, 183
 pH, 39
 Phagocytic process, 47
 Physical exercise, 47
 Pinnipeds, 77
 Plasma volume, 327
 Post-extrasystolic potentiation, 195
 Postjunctional α -adrenoceptor, 285
 Potassium channels, 1
 Potassium contracture, 209
 Power-trained athletes, 319
 Pregnancy, 1
 Pressor response, 131
 Procaine, 65
 Prostacyclin, 183
 Pulmonary circulation, 151
 Pulsatile, 15
 Purinoceptors, 175
 Q₁₀, 77
 Rat heart, 7
 Rat, 223, 247, 285
 Rats, 85, 231
 Reaction time, 319
 Reactive oxygen species, 203
 Receptors, 251
 Recirculation, 195
 Regional blood flow, 151
 Regional ventilation, 151
 Relaxation, 195
 Renal pelvic chemoreceptors, 159
 Repeated submaximal static contractions, 319
 RT-PCR, 261
 Runners, 327
 Sarcoplasmic reticulum Ca^{2+} -adenosinetriphosphatase, 209
 Serotonin (5-HT), 55
 Sex, 47
 Single fibre analysis, 261
 Skeletal muscle regeneration, 105
 Skeletal muscle, 91, 99, 111, 217, 261, 341
 Skeletal muscles, 31
 Small intestine, 55, 75
 Smooth muscle, 75
 SNP, 183
 Sodium homeostasis, 23
 Sodium, 99, 195
 Soleus muscle, 99
 Somatostatin, 223
 Speed, 217
 Splanchnic circulation, 131
 Storage vesicles, 251
 Streptozotocin-induced diabetes, 137
 Stretch receptor neurone, 65
 Substance P, 75, 335
 Superoxide anions, 111
 Superoxide dismutase, 203
 Swimmers, 327
 Sympathoadrenal, 251
 Synergism, 183
 Tachykinin, 75
 Testosterone, 91
 Tetracaine, 65
 UTP, 175
 Vascular biology, 15
 Vascular conductance, 131, 309
 Vasodilation, 301
 Ventilation-perfusion ratio, 151
 Viscoelasticity, 15
 Visualization of transmitter, 251
 $\dot{V}\text{O}_{2\text{max}}$, 309
 Xanthine oxidase, 301

